LABELLET
NEW MATERIAL

DECORATIVE FILM

SAMPLE BOOK 利保能装饰膜样品册

LABELLET
NEW MATERIAL

About us

Guangdong Labellet New Material Co., Ltd. was established in 2018. It is a professional manufacturer which focus on R&D &OEM production of adhesive vinyl, label sticker and various kinds of decoration materials.

The factory is located in Zhuhai, Guangdong Province of China.The area of the factory is 30,000 square meters, with more than 300 employees. The technical team has over 20 years experience on Glue Coating, Plying-Up, Slitting and Cutting. With the professional technical team, strict management, advanced equipment and high precision quality testing instruments throughout all stages of the productive process, and all of our products are strictly complied with international quality standards and fully passed ISO quality certificate and SGS quality system test. Quality is recognized by the world and products are sold all over the world.

广东利保能新材料有限公司成立于2018年。是一家专注于乙烯基胶、标签不干胶及各种装饰材料的研发生产的专业厂家。工厂位于中国广东省珠海市，工厂占地面积30000平方米，现有员工300余人。技术团队拥有20多年的涂胶、贴合、分切，分切经验。严格的管理，先进的设备和高精密度检测仪器贯穿于生产过程的各个阶段，所有产品均严格按照国际质量标准，并完全通过ISO质量认证和SGS质量体系测试。质量得到世界的认可，产品销往世界各地。



FEATURED BENEFITS OF LABELLET INTERIOR FILM

利保能内饰膜的特色优点

Finishing solution for interior and exterior decoration, furniture, advertising signs, transportation wrapping etc.

室内外装饰、家具、广告招牌、运输包装等精整解决方案。

Substrates use on metal, wood, glass and more.

基材可用于金属，木材，玻璃及更多墙面。

Aesthetics-resemble natural materials and other types of surfaces to deliver the look you want.

自然/逼真

High abrasion resistance and toughness for general use

耐磨性

Enhance the moisture resistance of the film

防潮性能

Product environmental protection and health

环保健康

Corrosion resistance

耐腐蚀

Resistance to high temperature

抵抗高温

Convenient installation

便捷装修

CLEANING 清洗



- Use commercially available synthetic detergent. Avoid using organic solvents or strong detergents that are either highly alkaline (PH>11) or acidic (PH<3).
- 使用市面上出售的合成洗涤剂。避免使用有机溶剂或强碱性(PH值>11)或强酸性(PH值<3)的洗涤剂。



- Use a soft cloth or cleaning sponge. Do not use sponges or cleaning cloths that contain abrasive materials.
- 使用软布或清洁海绵。不要使用含有磨料的海绵或清洁布。



- After cleaning, wash off all remaining detergent with water Removal.
- 清洗后，用水清洗掉所有残留的洗涤剂。

REMOVAL 清除

- Make cuts about 20cm apart in the film, making sure not to damage the substrate.
- Use a hair drier to warm and soften the film.
- Remove the strips of film.
- If adhesive remains on the substrate, remove it using lacquer thinner, or similar solvent.
- 在胶片上进行大约20cm的切割，确保不损坏基材。
- 用吹风机加热和软化薄膜。
- 取下胶片条。
- 如果粘合剂仍然在基材上，用漆稀释剂或类似的溶剂去除它。

LABELLET
NEW MATERIAL






Z-2553



Z-2543



Z-2514



Z-2563



Z-2560





Z-2504



Z-2551



Z-2565



Z-2556



Z-2558



Z-2559





Z-2557



Z-2562



Z-2567




Z-2565



Z-2546



Z-2561







Z-2562



Z-2564



Z-2568





Z-2548




Z-2549



Z-2572



Z-2570



Z-2571



Z-2545






Z-2544



Z-2516








Z-2541



Z-2505

85*105mm

Z-2508




Z-2563





Z-2566



Z-2569




Z-2503



Z-2502




Z-2515




Z-2512






Z-2501



Z-2564



Z-2506



Z-2550





Z-2500





Z-2507





Z-2552



Z-2553





Z-2554



Z-2554A





Z-2547



Z-2553

Z-5555





Z-2558



Z-2559



Z-2557



Z-2566






Z-2542



Z-2555



Z-2556





Z-2362

Z-2701

Z-2702

Z-2703

Z-2704


Z-2705


Z-2706


Z-2707


Z-2708


Z-2709



Z-2710



Z-2711


Z-2712



Z-2713


Z-2714



Z-2715


Z-2716



Z-2717



Z-2718



Z-2719


Z-2720


Z-2721


Z-2722


Z-2723


Z-2724


Z-2725


Z-2726


Z-2727

谢 谢 观 看 !

珠海市利保能新材料有限公司
ZHUHAI LABELLET NEW MATERIALS CO., LTD