LABELLET
NEW MATERIAL

目 录
CONTENTS

公司简介 （COMPANY PROFILE） 1/2页

材质介绍 CONTENTS

面料材质 （FACE STOCK） 3/4页
粘胶材质 （ADHESIVE SELECTION） 5/6页
底纸材质 （LINER SELECTION） 7/8页

应用范围 APPLICATION SCOPE

广告装饰 （ADVERTISEMENT） 9/10页
电子电器 （ELECTRONIC） 11/12页
日化用品 （DAILY CHEMICA） 13/14页
防伪标签 （SECURITY LABEL） 15/16页

LABELLET
NEW MATERIAL

www.labellet.com

LABELLET
NEW MATERIAL

COMPANY PROFILE



公司简介

利保能是一家专业从事乙烯基、广告材料、标签贴纸及各类装饰材料的研发、生产和销售的制造商和出口商,产品远销美国、欧洲、澳洲等世界多个国家地区。

工厂成立于2018年,坐落于广东省珠海市,厂房建筑面积30000平方米,现有员工300多人,技术团队在涂胶、贴合、分切、切割和印刷等方面拥有20多年的丰富经验。而凭借多年的丰富经验,利保能不断更新和深化涂布技术,为制造高品质的产品提供有力的保障。

LABELLET IS A PROFESSIONAL MANUFACTURER OF VINYL, ADVERTISING MATERIALS, LABEL STICKERS AND DECORATIVE MATERIALSR&D, PRO-DUCTION AND SALES OF MANUFACTURERS AND EXPORTERS, PRODUCTS EXPORTED TO THE UNITED STATES, EUROPE, AUSTRALIA AND OTHERWORLD MULTIPLE COUNTRIES AND REGIONS.

FOUNDED IN 2018, THE FACTORY IS LOCATED IN ZHUHAI CITY, GUANGDONG PROVINCE.PRODUCT 30000 SQUARE METERS, THE EXISTING STAFF OF MORE THAN 300 PEOPLE, THE TECHNICAL TEAM IN GLUE, LAMINATING, CUTTING AND PRINTING HAS MORE THAN 20 YEARS OF RICH EXPERIENCE. AND WITH YEARS OF RICH EXPERIENCE, LABELLET CONSTANTLY UPDATE AND DEEPEN COATING TECHNOLOGY, FOR THE MANUFACTURE OF HIGH QUA-LITY PRODUCTS TO PROVIDE A STRONG GUARANTEE.



企业理想
企业价值观
企业产品观

ENTERPRISE ASPIRATION

ENTERPRISE VALUES

PRODUCT PHILOSOPHY



创国际品牌,铸百年企业。

Creating a global brand, building a legacy hundred-year enterprise

合作共赢,保质求精,能力拓展。

Win-win cooperation, quality refinement,innovative capability

以客户需求为导向,解决客户必须为己任。

Customer-oriented, solving customer needs is our responsibility.

年均产量1200万M²
(ANNUAL CAPACITY)

300+公司员工
(COMPANY STAFT)

30000M²占地面积
(FLOOR SPACE)

25台专业设备仪器
(PRODUCTION FACILITES)

LABELLET
NEW MATERIAL

面料材质参数

面材的选择取决于
“印刷方式”和“使用需要”

面材种类	克重/厚度	单位	印刷性	耐潮性	耐热性
铜版纸(哑粉纸)	80/120/160	g/㎡	优越	一般	好
光粉纸(玻璃卡纸)	80	g/㎡	优越	好	好
模造纸(书写纸)	70/120/200	g/㎡	优越	一般	好
牛皮纸	80	g/㎡	优越	一般	好
铝箔纸	80	g/㎡	优越	好	好
PP合成纸	56/76/96 100/200	um	优越	优越	好
阻燃PET膜	25/36/50	um	好	优越	优越
PVC膜	40/80/100 150/250	um	优越	优越	好
OPP膜	20/50	um	好	优越	好
防伪膜	25/50 75/100	um	好	优越	优越
PET膜(部分有抗静电及UV处理)	12/25/36 50/75/100 125/188/250	um	好	优越	优越

*具体事项要求请与本公司各地区营业人员接洽研商后再行订制

Face stock parameters

The choice of face stock is dependent on method of printing and the use of pressure sensitive product.

Face stock	Gram Per Square Meter/Thickness	unit	Printability	Moisture Resistance	Heat Resistance
Coated Paper (Matt Coated Paper)	80/120/160	g/㎡	Excellent	Average	Good
Powder Paper (Cardboard Glass)	80	g/㎡	Excellent	Good	Good
Mold Paper (Written Paper)	70/120/200	g/㎡	Excellent	Average	Good
Kraft Paper	80	g/㎡	Excellent	Average	Good
Aluminum Foil Paper	80	g/㎡	Excellent	Good	Good
PP Synthetic Paper	56/76/96 100/200	um	Excellent	Excellent	Good
Flame Retardant PET Film	25/36/50	um	Good	Excellent	Excellent
PVC Film	40/80/100 150/250	um	Good	Excellent	Excellent
OPP Film	20/50	um	Excellent	Excellent	Good
Anti-fake Film	25/50 75/100	um	Good	Excellent	Good
PET Film (Part ofAnti-static and UVTreatment)	12/25/36 50/75/100 125/188/250	um	Good	Excellent	Excellent

*For customize order please contact our regional staff for further information.

LABELLET
NEW MATERIAL

感压胶特性的说明

在使用感压胶制品贴着前必须确保被贴物表面洁净无灰尘，油渍，水渍或脱模剂等污染物,如有请用温和溶剂(例如酒精等)擦拭干净。

类别	粘胶	性能	初期力	粘着力	保持力
纸类泛用型	油性 #14	良好的粘着力,耐低温性能好，适用于纸类产品。	高	高	中
	水性 #E	乳化型胶水，初期力，粘着力高，耐候性佳。	高	高	低
膜类泛用型	#45	透明度好，三力平衡佳，耐温性佳适用于PET类产品	中	中	高
	#28	对非极性材质接着性佳，抗可塑剂强，适用于PVC类产品。	中	中	高
高粘型	#87	有极佳之粘着力	中	中	低
	#37 #52	有极佳之粘着力或耐温保持力，耐溶剂性亦佳，贴着广泛	中	中	高
可移型	#46	根据被贴物基材及表面光滑状态进行选择	高	中	低
	#47		高	高	低
	#51		高	低	低

*具体事项要求请与本公司各地区营业人员接洽研商后再行订制

Adhesive Selection Guide

Before using,please make sure that the application surface isclear, oil-free and dry.If not,please use mild solvent(ex:alcohol) to wipe clean.

Types of Adhesive	Code	Performance	Initial Tack	Adhesion	Holding Power
Universal Paper	Oily #14	Excellent adhesion withlowtemperature resistance.It issuitable for paper product	High	High	Med
	Watery #E	Emulsion type acrylic adhesivestrong adhesion with high initialtack, weather resistance	High	High	Low
Membrane Extensive Type	#45	Good transparent and threebalance as well as temperatureresistance, suitable in PET pro-duct	Med	Med	High
	#28	Good non polar material andstrong anti-plasticizer, suitable in PVE product	Med	Med	High
High Viscosity Type	#87	Best adhesion force	Med	High	Low
	#37 #52	Best adhesion force andresistance to temperature andretention, extensively adhesive	Med	High	High
Removable	#46	Making a choice based on the substrate and surface smooth	High	Med	Low
	#47		High	High	Low
	#51		High	Low	Low

*For customize order please contact our regional staff for further information.

底材的选择

底材的选择取决于
“加工工艺”和“贴标方式”

底材种类	克重/厚度	单位	剥离力	自动贴标	手动贴标
铜版离型纸	80/150/158	g/㎡	轻	优越	优越
			中低	好	优越
			中	一般	优越
			重		优越
黄彩牛离型纸	74/118	g/㎡	轻	优越	优越
			中低	好	优越
			中	一般	优越
			重		优越
格拉辛离型纸	60/80	g/㎡	轻	优越	优越
			中	一般	优越
			重		优越
PET离型膜 压花PET离型膜	36/50 75/100	um	轻	优越	优越
			中	一般	优越
			重		优越
压花格拉辛离型纸	80	g/㎡	中	优越	优越
压花黄彩牛离型纸	118	g/㎡	中	一般	优越

*具体事项要求请与本公司各地区营业人员接洽研商后再行订制

Liner Selection

The choice of liner is dependent on the method with which it is labelling.

Liners	Gram Per Square Meter/Thickness	unit	Release Force	Auto Labelling	Manual Labelling
Art Paper Liner	80/150/158	g/㎡	Light	Excellent	Excellent
			Medium Low	Good	Excellent
			Medium	Average	Excellent
			Heavy		Excellent
Yellow Color CowType Paper	74/118	g/㎡	Light	Excellent	Excellent
			Medium Low	Good	Excellent
			Medium	Average	Excellent
			Heavy		Excellent
Glassine Liner	60/80	g/㎡	Light	Excellent	Excellent
			Medium	Average	Excellent
			Heavy		Excellent
PET Liner PET Embossed Liner	36/50 75/100	um	Light	Excellent	Excellent
			Medium	Average	Excellent
			Heavy		Excellent
Glassine Embossed Liner	80	g/㎡	Medium	Excellent	Excellent
Yellow Cattle Embossed ReleasePaper	118	g/㎡	Medium	Average	Excellent

*For customize order please contact our regional staff for further information.

ADVERTISEMENT

[广告] [装饰]

ADVERTISEMENT

产品介绍

广告装饰主要以PVC材料为主,高分子PVC标签材料颜色多样、经久耐用,具有优良的服贴性、耐酸碱性、耐候性、化学稳定性、着墨优异等性能,适用于各类环境情况下使用且具有优越的耐候性能和防紫外线功能。

主要应用

广泛应用于室内墙饰,窗饰与户外环境广告,灯箱,货柜等方面,还用于交通工具汽车、摩托车、自行车贴花及改色等。









BUS
AIRPLANE
RACING
OUTDOOR



LABELLET
NEW MATERIAL

Product Introduction

Advertising decoration mainly PVC material, polymer PVC label material color diversity, meridianDurable, with excellent adhesion, acid and alkali resistance, weather resistance, chemical stability,Excellent performance of ink, suitable for all kinds of environmental conditions and has superior weather resistance Uv protection function.

Main Application

Mainly widely used in indoor wall decoration, window decorationand outdoor environment advertising, light box, goods Cabinet and other aspects, but also used for transportation vehicles, motorcycles, bicycles decal and color change.





电子电器标签 Electronic Label

产品介绍

电子电器标签是指可粘贴在各种电子产品部件、手机电池和汽车零部件上的一类标签,标签材料可用PI、PP、PET及合成纸,此类材料具高性能防污、防刮、耐腐蚀、耐高温、耐磨、耐折叠、耐潮湿、无卤阻燃等性能。

主要应用

广泛应用在耐高温、阻燃、消费电子、家用电器及各类电池等方面。





重视安全，幸福之道。

PAY ATTENTION TO SAFETY，
THE WAY OF HAPPINESS。

ELECTRONIC LABEL

LABELLET
NEW MATERIAL

Product Introduction

Electronic and electrical labels can be pasted on various electronic components, mobile phone batteries and automobiles A kind of label on the component, the label material can be PI, PP, PET and synthetic paper, such materials With high performance anti-fouling, anti-scraping, corrosion resistance, high temperature resistance, wear resistance, folding resistance, moisture resistanceWet, halogenfree flame retardant properties.

Main Application

It is widely used in the electronics,household appliances and various types of batteries that is high temperature resistance,flame retardant, consumptive.











日化用品

产品介绍

日化标签:采用PP、PE、PET等优质薄膜不干胶标签材料，搭配环保胶粘能满足市场各种需求，具有良好的品牌表现性、印刷性、耐候性、粘贴性，为印刷商及终端客户提供专业的解决方案。无论您将粘贴于何种不同的表面上，利保能标签都可以满足您的需求。

主要应用

主要广泛应用在食品、饮料、超市冷冻、日用化妆品、洗发水标签等方面。





LABELLET
NEW MATERIAL

Product Introduction

Daily chemical label: The use of PP, PE, PET and other high quality film self-adhesive label materials, with rings Adhesive can meet the needs of the market, with good brand performance, printability, resistance Wait, paste, for printers and end customers to provide professional solutions. Regard-less of you, LABELLET labels can be applied to any surface you want.

Main Application

Mainly widely used in food, beverage, supermarket freezing, daily cosmetics, sham-poo Labels and so on.






防伪标签


产品介绍

随着市场上假冒伪劣产品大量出现，对整个经济市场和正牌厂商利益造成了较大损坏，利保能为适应市场的迫切需求，推出几种类型的防伪材料，如易碎型，镭射防伪型，纸面揭开型、膜面已开封型(又叫字模防伪)起到了很好的防伪打假效果。

主要应用

主要广泛应用于IT、电子、电器、医药、化工、商场等领域。





防伪标签

求实科技引航
真知防伪之道

SEEK REAL SCIENCE AND TECHNOLOGY PILOT
TRUE KNOWLEDGE OF THE WAY OF ANTI-COUNTERFEITING

LABELLET
NEW MATERIAL

Product Introduction

With a large number of fake and shoddy products appearing on the market, the whole economic market and genuine manufacturers benefit Benefit caused great damage, LABELLET to adapt to the urgent needs of the market, introduced several types Anti-counterfeiting materials, such as fragile type, laser anti-counterfeiting type, paper surface open type, film surface has been opened type (andType anti-counterfeiting) played a very good anti-counterfeiting effect.

Main Application

Mainly widely used in IT, electronics, electrical appliances, medicine, chemical, shopping malls and other fields.

Security Label









